



[www.soudal.com](http://www.soudal.com)

**TRADE  
PRODUCT  
GUIDE**

FIX ALL



CONSTRUCTION



GLAZING



SANITARY



ROOFING



ADHESIVES



ACCESSORIES



FIRE RATED




TECHNICAL AEROSOLS

HIGH PERFORMANCE SEALANTS, FOAMS & ADHESIVES

# Soudal

## Soudal Worldwide

Soudal is a leading independent global manufacturer of sealants, adhesives, PU foams and building chemicals for the construction, retail and industrial markets, with over 30 subsidiaries and sales to more than 100 markets worldwide, on five continents. From its base in Tamworth, centrally located in the middle of the UK, Soudal is constantly listening to its customers and provides tailor-made solutions for the professional and DIYer alike.



## Soudal - Experts in sealants, foams and adhesives

Founded in 1966 by current Chairman Vic Swerts, Soudal has grown at over 10% per year, every year. Its success is based on the quality of its products and its ability to stay at the cutting edge of technology through innovation.

### Quality

Every week 3 million cartridges are manufactured in over one million square feet of highly automated production facilities on various continents according to exacting quality standards. To maintain these standards, Soudal became the first company in its industry to achieve the ISO9001 quality certification. Product consistency and full traceability are therefore ensured across the huge range of over 1000 chemical formulations.

### Innovation

Highly qualified scientists, engineers and application technicians develop state of the art formulas, packaging and accessories to perfectly suit the demands of both the market and end users.

### Commitment to customers

Apart from offering an extensive range of high quality products, Soudal offers ongoing commitment to providing outstanding service, guaranteed delivery times and a personalised approach to on-going partnerships with existing customers.

	<b>FIX ALL</b>	4-7
	<b>CONSTRUCTION</b>	8-11
	<b>GLAZING</b>	12-13
	<b>SANITARY</b>	14
	<b>ROOFING</b>	15
	<b>ADHESIVES</b>	16
	<b>ACCESSORIES</b>	17
	<b>FIRE RATED</b>	18-21
	<b>TECHNICAL AEROSOLS</b>	22-23



[www.soudal.com](http://www.soudal.com)  
[www.fixall.co.uk](http://www.fixall.co.uk)



The Fix ALL® range of products from Soudal are the perfect answer to all interior and exterior bonding, filling and sealing jobs. Use on porous, non-porous, wet and humid surfaces, even under water!



- Anti-mould
- Odourless
- Paintable
- Quick & easy



\*except Fills & Bonds

The Fix ALL range can be applied on all\* common surfaces including:

Bricks	Concrete	Stone	Marble
Granite	Plaster	Wood	MDF
Chipboard	Rockwool	Cork	Ceramics
Laminate	Chipboard	Glass	Mirror
Copper	Aluminium	Lead	Zinc, Steel
Ceramics	Porcelain	Cardboard	PVC
Polystyrene	Polyurethane	Slate	Synthetics

\*Not suitable for PE, PP or Teflon.

Friendly to the environment and the user  
no solvents, halogens, acids, isocyanates\*

[www.fixall.co.uk](http://www.fixall.co.uk)



## TURBO



Super fast sealant, adhesive and filler. Maximum strength build up in the shortest possible time. High initial tack. Can be applied in all weather conditions (including wet and damp surfaces), internally and externally. No solvents or odours. Primerless adhesion on most construction materials. Overpaintable with most paints. Non-staining on porous natural stones. Suitable for sanitary applications.

### APPLICATIONS

For all bonding, sealing & filling applications where initial grab and adhesive build up speed is critical or important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Bonding & sealing of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding.



- Fixed in 20 minutes
- Ultimate bond strength in 3 hrs
- Multi use
- Primerless adhesion
- Odourless
- Weather proof and Waterproof
- Mould resistant
- Non staining.

290ml Cartridge: White




## HIGH TACK



Super strong sealant, adhesive and filler. Very high initial tack. Can be applied in all weather conditions (including wet and damp surfaces), internally and externally. No solvents or odours. Primerless adhesion on most construction materials. Overpaintable with most paints. Non-staining on porous natural stones. Suitable for sanitary applications.

### APPLICATIONS

For all bonding, sealing & filling applications where initial grab is important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Bonding & sealing of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding.



- Super strong
- High initial tack
- Non staining
- Mould resistant
- Primerless adhesion
- Virtually odourless
- All weather use
- Isocyanate and silicone free.

290ml Cartridge:  
White, Black, Grey, Brown  
80ml Tube: White





## CLASSIC



Multi use sealant, adhesive and filler. Can be applied in all weather conditions (including wet and damp surfaces), internally and externally. No solvents or odours. Primerless adhesion on most construction materials. Overpaintable with most paints. Non-staining on porous natural stones. Suitable for sanitary applications.

### APPLICATIONS

For all bonding, sealing & filling applications in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Bonding & sealing of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding - kitchens, bathrooms and showers.



- Multi use
- Primerless adhesion
- Virtually odourless
- All weather use
- Isocyanate and silicone free
- Mould resistant
- Non staining.

290ml Cartridge: White, Black, Grey, Brown  
80ml Tube: White



## FILLS & BONDS

Ready to use polyurethane based adhesive and filler, which replaces traditional mortar based adhesives. Ready to use without mixing which saves time, effort and money. Paintable. Fast curing. Can be applied to damp surfaces. Excellent thermal and acoustic insulation properties. DIN 4102 B2 Fire rated. Available in Gun Grade and patented Hand Held versions.

### APPLICATIONS

For the bonding of heavy weight building materials such as plasterboard, dry lining, rockwool, insulation board, bricks, concrete, plaster, wood, metal, aluminium, stone, ceramics, MDF, polystyrene, steel, lead, zinc, polyurethane, laminate, cork and chipboard. Can be used on walls or roofs. Filling of large gaps around windows, doors and penetrations.



- Ready to use
- No mixing
- Fills & bonds
- Fast curing
- Paintable
- Damp surface adhesion
- Fire class DIN 4102 B2.

750ml Hand Held: Orange  
750ml Gun Grade: Orange



## CRYSTAL



Super clear sealant, adhesive and filler. 100% crystal clear. Can be applied in all weather conditions (including wet and damp surfaces), internally and externally. No solvents or odours. Primerless adhesion on most construction materials. Overpaintable with most paints. Suitable for sanitary applications.

### APPLICATIONS

For all bonding, sealing & filling applications where transparency of the final bond or seal is important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Sanitary sealing and bonding - kitchens, bathrooms, showers etc.



- 100% Crystal Clear
- Primerless adhesion
- Virtually odourless
- All weather use
- Isocyanate and silicone free
- Mould resistant.

290ml Cartridge: Crystal Clear  
80ml Tube: Crystal Clear



## FLOOR & WALLS

Ready to use, trowellable flexible adhesive. No mixing required. High initial grab. Can be applied on wet and damp surfaces, internally or externally. No solvents or odours. Primerless adhesion on most construction materials. Non-staining on porous natural stones. Suitable for sanitary applications.

### APPLICATIONS

Elastomeric bonding of many types of sheet materials on walls and floors - tiles, stainless steel panel, splashbacks, wooden panelling, carpet tiles, natural stone cladding, PVCu hygienic cladding. No mixing or primer required. Can be used on damp and difficult substrates, horizontally or vertically. Indoor and outdoor use.



- Ready to use
- No mixing
- Primerless adhesion on most materials
- Virtually odourless
- All weather use
- Isocyanate and silicone free
- Mould resistant.

4kg Bucket: White

Professional quality notched trowel spreaders are available, see page 17.





## MULTI-PURPOSE SILICONE

Acetoxy silicone sealant that cures to form a flexible, durable weathertight seal on many common building surfaces, including glass, metals, wood and ceramic tiles. Contains a fungicide that resists mould growth. Suitable for interior and exterior use.

### APPLICATIONS

General construction. Masonry. Woodworking. Roofing. Flooring. Baths, showers & sinks. Kitchen fittings. Ceramic tiles. Plumbing. HVAC ducting. Shop windows and signs. Electrical conduit. Automotive.

- Multi Purpose
- All weather use
- Mould resistant
- Flexible
- For internal & external use.

**300ml Cartridge:**  
White, Clear, Black, Brown



## EXPANDING FOAM

Moisture curing, self-expanding polyurethane foam adhering to all common building materials, resistant to water, heat and ageing. Excellent sound and heat insulation values. Can be cut, sanded, plastered and painted after full cure. Not UV resistant, cover once cured with sealant, paint or otherwise.

### APPLICATIONS

Fixing, filling and insulating of door and window frames. Insulating around pipes and electrical wiring. Filling of holes, gaps and joints. Fixing and insulating of wall panels, corrugated sheets, roof tiles, etc.



- High thermal & acoustic insulation
- Good adhesion
- Expansion rate - 30-40 times initial volume
- Internal & external use
- Can be sanded & painted when cured.

**750ml Hand Held:** Champagne  
**750ml Gun Grade:** Champagne



## DECORATORS CAULK

An acrylic, solvent free dispersion that cures to form a durable, flexible seal. For internal use. Can easily be painted or papered over when dry.

### APPLICATIONS

Sealing gaps around internal window and door frames, skirting boards, plasterboard, staircases, architrave and coving. Sealing gaps and cracks in plastered walls and ceilings.



- Flexible
- Paintable
- Smooth finish
- Internal use.

**300ml Cartridge:** White  
**380ml Cartridge:**  
White, Magnolia, Brown

## SPECIAL TRADE PACKS

**6 x 300ml**

AVAILABLE IN

**DECORATORS CAULK**  
White

**MULTI PURPOSE SILICONE**  
White & Clear





## GUN & FOAM CLEANER

Aerosol applied, solvent based polyurethane foam cleaner.

### APPLICATIONS

Used for the cleaning of PU Foam applicator guns. Gun applied PU Foam valves and uncured PU Foam, can also be quickly and easily removed with the attachable spray nozzle.

- Quick & easy to use
- Attachable spray nozzle
- Solvent based.

500ml: Clear



## COMPACT PU FOAM GUN

Professional grade, metal polyurethane applicator gun for use with gun foams. Available for Click & Fix® and Gun Grade systems.

For the application of PU foams and cleaners.



## DESIGN PU FOAM GUN

Professional grade, heavy duty, metal polyurethane applicator gun for use with gun foams. Available for Click & Fix® and Gun Grade systems.

For the application of PU foams and cleaners.



## PU FOAM NOZZLES

Pack of 5 adapter nozzles for any size hand held expanding foam.

For the application of PU foams.

## SILICONE REMOVER

Terpene based, easy to use cleaning gel for the removal of cured silicones and MS® Polymers. Liquid gel, easy application by brush. Non-sagging.



### APPLICATIONS

Removal of all types of cured silicone and MS® Polymer based sealants from all sorts of substrates.



- Terpene based
- Works on silicones and MS® Polymers
- Brush applied
- Non sagging
- Fast and effective.

100ml Bottle: Clear



## CURED PU FOAM REMOVER

Gel based PU foam cleaner. Odourless and free of aromatic solvents.

### APPLICATIONS

For the quick and easy removal of cured polyurethane foam residues from non-porous surfaces such as plastics, metals and PVCu.

- Odourless
- Applied by brush or spatula
- Highly effective
- Solvent free.

100ml Bottle: Clear



## SWIPEX WIPES

Heavy duty non-woven wipes impregnated with a mixture of solvents, biodegradable non-ionic surfactants and skin emollients.

### APPLICATIONS

Designed for removing paint and other associated soilings such as inks, adhesives, sealants, oils and greases from hands, tools and non-porous surfaces.

- Heavy duty
- Removes many types of contaminants
- Suitable for hands and tools
- Kind to skin.

20 Wipes pack





## PVCu FRAME SILICONE

Low Modulus Neutral (LMN) formulation for high movement joints. Fast curing, flexible and weathertight seal.

Adheres to most common building materials including glass, other glazed surfaces, metals, wood, aluminium and PVCu.

### APPLICATIONS

Sealing and perimeter pointing of wooden, aluminium and PVCu window and door frames. Sealing and bonding plastic trim and cladding. Glazing. Construction and general purpose joint sealing.

- Low Modulus Neutral
- Weathertight seal
- Flexible
- Waterproof
- Fast Curing.

**300ml Cartridge:**  
Clear & Brilliant White



## GLAZING SILICONE SEALANT

Low Modulus Acetoxy (LMA) silicone that cures rapidly to form a permanently flexible and extremely durable weathertight seal. It bonds strongly to clean uncoated glass, ceramics and glazed or painted surfaces without the need for a primer.

### APPLICATIONS

Traditional glazing joints, door and window frames, shop windows, display cases, panels, signs, portable buildings, conservatories, greenhouses, heating, HVAC ducting.

- Low Modulus Acetoxy
- Weather resistant
- Flexible
- Waterproof
- No primer required.

**300ml Cartridge:** Clear



- Low Modulus Neutral
- Weathertight seal
- Flexible
- Waterproof
- Fast Curing.

**300ml Cartridge:** White & Brown



## EXTERIOR FRAME SEALANT

Low Modulus Neutral (LMN) formulation for high movement joints. Fast curing. Flexible and weathertight seal. Adheres to most common building materials including glass, other glazed surfaces, metals, wood, aluminium and PVCu.

### APPLICATIONS

Sealing and perimeter pointing of wooden, aluminium and PVCu window and door frames. Sealing and bonding plastic trim and cladding. Glazing. Construction and general purpose joint sealing.



## PVCu CREAM CLEANER

General purpose, solvent free, cream cleaner for a sparkling finish on PVCu and other materials. Solvent free formulation. Removes ingrained dirt. Can be buffed to a deep and attractive sheen.

### APPLICATIONS

The cleaner restores the original sheen to PVC window and door frames, decorative trims, fascia and claddings. Cleaning all PVC window frames, trim etc.

- Solvent free
- Fast acting and drying
- Smear free
- Mild yet effective action.

**1L Bottle:** White



## PVCu SOLVENT CLEANER

Solvent based cleaner for PVCu materials. Fast acting. Non smear formulation. Removes ingrained dirt.

### APPLICATIONS

Suitable for the removal of dirt, pen and pencil marks on all PVCu window and door frames, decorative trims, fascia and cladding. Can also be used on some types of plastic garden furniture.

- Solvent based
- Fast acting and drying
- Smear free
- Multi-purpose usage.

**1L Bottle:** Clear



## INDUSTRIAL GLASS CLEANER

High performance, alcohol based cleaner for the cleaning of different types of glass and glass materials. Fast drying. Non-smear formula.

### APPLICATIONS

Cleaning all glass surfaces especially in the window industries. Suitable for large areas.

- Alcohol based
- Fast acting and drying
- Smear free
- Suitable for industrial scale applications.

**1L Bottle:** Clear





## BATHROOM SHOWER & KITCHEN SILICONE

Food safe, Low Modulus Neutral cure silicone. Contains a powerful anti-fungicidal agent. Virtually odourless. Very fast skinning time and final cure. Solvent free. Thick bodied. Highly elastic. Primerless adhesion on all common construction materials. Resistant to UV, rain, snow, ozone, and many chemicals. High/low temperature resistance.

### APPLICATIONS

Sealing sanitary, construction and industrial applications where food contact is a requirement. Container, cold-storage, air conditioning, bathroom, kitchen and other areas prone to high humidity. Sealing of all types of sanitary ware. Sealing of expansion and movement joints in construction.



- Low Modulus Neutral
- Flexible
- Mould resistant
- Waterproof
- Fast Curing.

300ml Cartridge: Brilliant White & Clear



## PLUMBERS SANITARY SILICONE

Acetoxy curing silicone specially formulated for use in hot, humid conditions such as bathrooms and kitchens. Cures to form a flexible, durable waterproof seal with good resistance to abrasion and common detergents. Good adhesion to glass (without primer), most acrylics, ceramics, vitreous surfaces, painted surfaces and anodised aluminium.

### APPLICATIONS

For all waterproofing applications where protection against mildew is required, such as the jointing of baths, sinks, toilets, showers, kitchen furniture, ceramic tiles and plumbing fixtures.



- Mould resistant
- Fast Curing
- Good Extrudability
- Durable.

300ml Cartridge: White & Clear



## ALL WEATHER SEALANT

A specially formulated sealant that provides strong adhesion to most building surfaces, even wet or under water. Suitable materials include wood, glass, aluminium, steel, bitumen, rigid PVC. The product remains flexible, will not crack or slump. Paintable.

### APPLICATIONS

Sealing of cracks in typical roofing applications including attic windows, gutters and drainpipes. Emergency repairs during rain including leaks.

- Weather Resistant
- Underwater use
- Excellent Adhesion
- Paintable.

300ml Cartridge: Clear



## ROOF & GUTTER SEALANT

A rubberised, oil based sealant which remains predominantly in a semi-dry, paste like condition. The nature of this product ensures excellent adhesion to most common roofing materials including asphalt, bitumen, felt, metals and wood.

### APPLICATIONS

Permanent weatherproofing of roofing applications. Sealing of guttering, downpipes, chimneystacks, lap joints, attic windows, cornices, ventilation ducts and flashings. Bedding of roof sheets and felts. Sealing of bituminous supports.



- Weatherproof
- Excellent Adhesion
- Seals Roof Leaks
- Seals Guttering.

300ml Cartridge: Black



## LEAD SHEET SEALANT

Low Modulus Neutral cure silicone. Eliminates the need for grouting. Long life. Adhesion to most building materials - all types of lead (BS:EN 12588 (1999) compatible, milled, rolled, sand cast, water-cooled), other metals, brickwork, concrete, granite, marble, slate, cement, stone and roofing tiles. Stain free on most substrates. Lead Grey colouring. Non-corrosive. Good UV and weather resistance. Forms a watertight and permanently flexible joint.

### APPLICATIONS

Roofing joints. Sealing lead flashing into brick, stone or concrete. Joints on gutters, downpipes and venting. Steel roofing. Sealing overlaps in rigid sheet roofing.

- Excellent Adhesion
- Long service life
- Stain free
- Lead Grey colour
- Good UV resistance
- Weather resistant.

300ml Cartridge: Grey





## GRIP ALL BUILDING ADHESIVE

High performance, premium grade, fast curing, gap filling, construction adhesive. Grip All has good initial grab in both vertical and horizontal positions. Fast drying. High bond strength. Excellent adhesion to most building surfaces including wood, metals, most plastics, glass, aluminium, concrete, ceramics, plasterboard and breezeblock. Overpaintable.

### APPLICATIONS

Fixing battens, window sills, skirting boards, coving, plasterboard, carpet grippers, wall and floorboards and window frames.

- High Bond strength
- Instant Grip
- Gap filling
- Fast cure
- Solvent based.

300ml Cartridge: Beige



- Paintable
- Odourless
- Fast cure
- High strength
- Solvent free.

300ml Cartridge: White



## GRIP ALL SOLVENT FREE ADHESIVE

High performance, premium grade, fast curing, gap filling construction adhesive. Grip All has good initial grab in both vertical and horizontal positions. High bond strength. Excellent adhesion to most building surfaces including wood, metals, most plastics, glass, concrete, ceramics, plasterboard and polystyrene. Dries white. Overpaintable.

### APPLICATIONS

Fixing battens, window sills, skirting boards, coving, carpet grippers, edge strips, wall and floorboards and window frames.



## WATER RESISTANT WOOD GLUE

A one component, humidity resistant, interior and exterior PVA wood adhesive that fulfills the requirements for long term high bond strength. Water resistant to class D3 (EN204 / 5).

### APPLICATIONS

Suitable for bonding of wood products, MDF, particle board, formica, veneers, oak and tropical hardwood.

- Conforms to D3:EN204
- Odourless
- Fast Drying
- High Bond strength
- Isocyanate and silicone.

1L & 5L: White



## STEEL SILICONE GUN

Steel skeleton gun. Soudal dripless system. Suitable for all cartridge applied adhesives, fillers and sealants. Available in 310ml and 380ml sizes.



## HEAVY DUTY SILICONE GUN

Heavy duty steel skeleton gun. Soudal dripless system. Suitable for all cartridge applied adhesives, fillers and sealants. Available in 310ml and 380ml sizes.



## TROWEL SPREADERS

Professional quality notched trowel spreaders are available: Small bead size (Nr 3) and large bead size (Nr 11).



## JOINT SMOOTHING TOOL

Silicone sealant smoothing tool, for a smooth, professional finish.



## CARTRIDGE NOZZLES

Pack of 5 'twist' nozzles.



## CARTRIDGE CUTTER

Cut cartridges easily and safely with our cartridge cutter.



## Fire resistance standards

The fire resistance rating indicates the duration in minutes for which a passive fire protection system can withstand a standard fire resistance test.

Soudal FR products have been independently tested against British and European norms such as EN 1366-4 and BS476 part 20, and they have been shown to have fire resistance ratings of up to 4 hours. These results are summarised in our test and classification reports, which are available on request.



## FIRE SILICONE B1 FR

FIRE RATED neutral cure, silicone sealant. Solvent free. Virtually odourless. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, and ozone, and many chemicals. High and low temperature resistance.

### APPLICATIONS

For use in external and internal passive fire protection systems as an elastic joint sealant; installation of fire retardant window and door frames, fire retardant expansion and connection joints, penetration seals.

- BS476(20) 4hr fire rating Warrington depending on configuration
- Tested according to EN 1366-4
- Neutral cure silicone
- Weatherproof
- Highly elastic.

**310ml Cartridge:** White, Grey  
**600ml Foilpack:** Grey



## SOUDAFOAM® FR

FIRE RATED one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Expands 35-40 times its initial volume. Excellent primerless adhesion on most construction materials. Available in Hand Held, Gun Grade and Click & Fix® versions.

### APPLICATIONS

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals.



- BS476(20) 4hr fire rating Warrington depending on configuration
- Tested according to EN 1366-4.

**750ml Hand Held:** Pink  
**750ml Gun Grade:** Pink  
**750ml Click & Fix®:** Pink



## FIRECRYL FR

FIRE RATED intumescent acrylic sealant and filler. Totally solvent, silicone and isocyanate free. Colourfast and waterproof after curing. Can be painted over after curing. Odourless. Primerless adhesion on most construction materials.

### APPLICATIONS

For use in internal passive fire protection systems as a joint sealant or filler; installation of fire retardant window and door frames, fire retardant connection joints, penetration seals, internal garages.

- BS476(20) 4hr fire rating Warrington depending on configuration
- Tested according to EN 1366-4
- Acrylic polymer
- Paintable with most coatings.

**310ml Cartridge:** White



## FIRECEMENT HT


HIGH TEMPERATURE resistant fire cement. Withstands temperature of up to +1500°C. Excellent adhesion to a wide range of building materials.

### APPLICATIONS

For the sealing of ovens, furnaces and chimney flues. Hard setting. Suitable for internal applications.

- Extreme temperature resistance
- Internal use
- Hard and durable
- High temperature resistant (up to 1500°C).

310ml Cartridge: Black



## SILIRUB® HT-A

HIGH TEMPERATURE resistant acetoxysilicone sealant. Withstands high temperatures of up to 285°C. Highly flexible and weatherproof. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to UV, rain, snow and ozone, and many chemicals. High movement capability.

### APPLICATIONS

For the sealing of elastic joints which require a high temperature resistance: gaskets, hot water installations, pipework, ovens, furnaces and chimney flues. Suitable for external and internal applications.

- High temperature resistant (up to 285°C)
- External and internal use
- Acetoxysilicone sealant
- Highly flexible and durable.

310ml Cartridge: Black



## SOUDASEAL® FR



FIRE RATED non-staining, SMX® Polymer, sealant and adhesive for use in passive fire protection systems. Totally solvent, silicone and isocyanate free. Highly elastic. Paintable with most coatings. Odourless. Primerless adhesion on most construction materials.

### APPLICATIONS

For use in external and internal passive fire protection systems as a joint sealant or adhesive: installation of fire retardant window and door frames, fire retardant expansion and connection joints, and penetration seals.

- BS476(20) 4hr fire rating Warrington depending on configuration
- Tested according to EN 1366-4
- SMX® Polymer
- Weatherproof
- Paintable with most coatings
- Non staining on porous stone substrates.

600ml Foilpack: Grey



## SILIRUB® HT-N

HIGH TEMPERATURE resistant neutral cure silicone sealant. Withstands high temperatures of up to 280°C. Highly flexible and weatherproof. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, and ozone, and many chemicals.

### APPLICATIONS

For the sealing of elastic joints which require a high temperature resistance: gaskets, hot water installations, pipework, ovens, furnaces and chimney flues. Suitable for external and internal applications.

- High temperature resistant (up to 280°C)
- External and internal use
- Neutral cure silicone sealant
- Highly flexible and durable
- Virtually odourless.

310ml Cartridge: Black





## SEALANT REMOVER

A ready-to-use and fast-working spray based on terpenes for removing hardened silicones and MS® Polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

### APPLICATIONS

Removal of old silicone residue, spilled silicone or spilled MS® Polymers from different kind of surfaces.

- Fast-working
- Does not drip
- Specifically for silicones and MS® Polymers
- Spray action.

400ml Aerosol Spray



## CLEANER & DEGREASER <sup>(360°)</sup>

Powerful quick-drying cleaner and degreaser for various maintenance and assembly jobs. Can be used on most surfaces (metal, plastics, PVC,...) and leaves no residue.

### APPLICATIONS

Suitable for cleaning and degreasing mechanical parts. Also suitable for the preparation of surfaces prior to the application of sealants or adhesives. For the removal of uncured excess MS, PU or silicone sealants, tar residue, grease, wax.

- Cleans and degreases
- Leaves no residue
- Quick-drying
- Aerosol can be used at any angle (360°).

400ml Aerosol Spray



## ADHESIVE REMOVER <sup>(360°)</sup>

Transparent solvent mixture suitable for removing fresh glue stains and for the cleaning and degreasing of metal surfaces.

### APPLICATIONS

Transparent solvent mixture suitable for removing fresh glue stains. Cleans brushes, palette knives and spatulas. Removes hard excess contact glue. Not suitable for polystyrene and Plexiglas. May damage certain surfaces (e.g. plastics).

- Removes fresh glue stains
- Cleans and degreases
- Does not leave residue
- Aerosol can be used at any angle (360°).

400ml Aerosol Spray



## MULTI CLEANER

A universal cleaning foam spray. Foam action helps to break down dirt and contaminants. Foam product means it does not drip or run.

### APPLICATIONS

Ideally suited for cleaning vertical surfaces such as glass, tiles, mirrors, laminate, PVC, kitchens, car interiors, textile, carpets, office equipment, etc.

- Cleans and degreases
- Highly soluble
- Does not drip
- Does not leave any residues
- Foam action.


400ml Aerosol Spray



**Soudal (UK) Limited**  
**Unit A Tame Park**  
**Vanguard,**  
**Tamworth B77 5DY**  
**Tel: 01827 261 092**  
**Fax: 01827 284 454**  
**email: salesuk@soudal.com**

**Headquarters:**  
**Soudal N.V.**  
**Everdongenlaan 18-20,**  
**BE-2300 Turnhout**  
**Tel: +32 14 42 42 31**  
**Fax: +32 14 42 65 14**  
**email: info@soudal.com**

**[www.soudal.com](http://www.soudal.com)**  
**[www.fixall.co.uk](http://www.fixall.co.uk)**



**FOLT1063**